



# TRU v4.0.0

# SRU v4.0.0

---

## Release Notes

**February 2025**

©Copyright Topcon Positioning Systems, Inc. 2025.

All contents in this document are copyrighted by Topcon. All rights reserved. The information contained herein may not be used, accessed, copied, stored, displayed, sold, modified, published, or distributed, or otherwise reproduced without express written consent from Topcon.

**Table of Contents**

**ACCOMPANYING TOPCON SOFTWARE AND FIRMWARE..... 3**

**FEATURES AND CHANGES ..... 3**

## Accompanying Topcon Software and Firmware

- To access features and functionality available in TRU v4.0.0, the following Topcon firmware and software versions (or later) are recommended:
  - GNSS firmware 5.6.1
  - GNSS firmware 7.0
  - Topcon Field and Office v9.1

## Features and Changes

- Support for HiPer XR and GRX5 receivers
- Support for Satel TR9, TR49, and TR489 radios
- Support for Alinco XE3030P and XE9030EP radios
- Support for RTCM135 protocol for Satel and Topcon R2 radios
- Support for BDS PRN 38-58 satellites
- Support for RINEX 4.0
- Support for QZSS L1 C/B signal
- Support for auto-positioning mode
- AGC configuring and monitoring
- Ability to choose any default message set in Real-Time Logging
- Improved editor for default message sets