



# TRU v4.2.0

# SRU v4.2.0

---

## Release Notes

**February 2026**

©Copyright Topcon Positioning Systems, Inc. 2026.

All contents in this document are copyrighted by Topcon. All rights reserved. The information contained herein may not be used, accessed, copied, stored, displayed, sold, modified, published, or distributed, or otherwise reproduced without express written consent from Topcon.

**Table of Contents**

**ACCOMPANYING TOPCON SOFTWARE AND FIRMWARE..... 3**

**FEATURES AND CHANGES ..... 3**

## Accompanying Topcon Software and Firmware

- TRU v4.2.0 covers changes in the following firmware
  - GNSS firmware 5.7
  - GNSS firmware 7.2

## Features and Changes

- Support for Satel EASY Pro+
- Update to sorting devices in Select Device
- Added user-friendly descriptions of new or renamed satellites
- Display of extended information about the status of the PPP service
- Display of the new Topnet Live subscription types
- Display of the Skybridge status
- Ability to discover Bluetooth LE devices and pair them directly from the application
- Support for Bluetooth LE clients and services in GNSS FW 7.2
- Support for new receiver ports introduced in GNSS FW 7.2
- Implemented the ability to quickly select a base without having to re-discover it
- User-friendly decoding of RSSI signal strength when discovering Bluetooth or Bluetooth LE devices
- For Satel UHF radios, implemented the ability to create, load and use channels with 20 kHz spacing, including a mix of channels with 20 kHz spacing and others
- Reporting of the number of channels loaded into the modem and in the MCF file
- Implemented the ability to configure internal Satel modems via Bluetooth LE connection to the receiver